

A Joint Report of the
Registrar General of India
and the
Centre for Global Health Research



**CAUSES OF DEATH
STATISTICS
2010-2013**

LIST OF TABLES

Table Description

	Sample Particulars
Table 1	Number of Sample Units & Population Covered under SRS: India, States and Union Territories 2005
Table 2	Distribution of Deaths by EAG States & Assam and Other States by Age Group: Comparison of Percentage of Deaths in Verbal autopsy (2010 - 2013) and Sample Registration System (SRS-2010 -2013)
	Overall Causes of Death Distribution
Table 1.3A	Distribution of Deaths in India : 2010 -2013 Person
Table 1.3B	Distribution of Deaths in India : 2010 -2013 Male
Table 1.3C	Distribution of Deaths in India : 2010 -2013 Female
	Major Cause Groups
Table 2.1A	Distribution Of Deaths by Major Cause Groups in India 2010 -2013
Table 2.1 B	Distribution Of Deaths by Major Cause Groups in EAG States & Assam and Other States : 2010 -2013
Table 2.1 C	Distribution Of Deaths by Major Cause Groups in Rural and Urban Areas : 2010 -2013
	Deaths by age and gender
Table 2.2A	Distribution Of Deaths by age and gender in India :2010 -2013
Table 2.2B	Distribution Of Deaths by age and gender in EAG States & Assam and Other States : 2010 -2013
Table 2.2C	Distribution Of Deaths by age and gender in Rural and Urban Areas : 2010 -2013
	Top 10 causes All ages
Table 2.3A	Top 10 Causes of Death (all ages) in India: 2010 -2013
Table 2.3B	Top 10 Causes of Death (all ages) in EAG States & Assam and Other States : 2010 -2013
Table 2.3C	Top 10 Causes of Death (all ages) in Rural & Urban Areas : 2010 -2013
	Age <29 days
Table 3.1 A	Top 10 Causes of Death in age below 29 days in India : 2010 -2013
Table 3.1B	Top 10 Causes of Death in age below 29 days in EAG States & Assam and Other States: 2010 -2013
Table 3.1C	Top 10 Causes of Death in age below 29 days in Rural and Urban Areas : 2010 -2013
	Age below 1 year
Table 3.2A	Top 10 Causes of Death in age below 1 year in India : 2010 -2013
Table 3.2B	Top 10 Causes of Death in age below 1 year in EAG States & Assam and Other States: 2010 -2013
Table 3.2C	Top 10 Causes of Death in age below 1 year in Rural and Urban Areas : 2010 -2013
	Age 1-4 years
Table 3.3A	Top 10 Causes of Death in age 1- 4year : in India 2010 -2013
Table 3.3B	Top 10 Causes of Death in age 1- 4year in EAG States & Assam And Other States : 2010 -2013
Table 3.3C	Top 10 Causes of Death in age 1- 4year in Rural & Urban Areas : 2010 -2013
	Age 0-4 years
Table 3.4A	Top 10 Causes of Death in age 0 to 4 years in India : 2010 -2013
Table 3.4B	Top 10 Causes of Death in age 0 to 4 years in EAG States & Assam And Other States : 2010 -2013
Table 3.4C	Top 10 Causes of Death in age 0 to 4 years in Rural & Urban Areas : 2010 -2013

	Age 5-14 years
Table 3.5A	Top 10 Causes of Death in age 5-14 years in India : 2010 -2013
Table 3.5B	Top 10 Causes of Death in age 5-14 years in EAG States & Assam And Other States : 2010 -2013
Table 3.5C	Top 10 Causes of Death in age 5-14 years in Rural & Urban Areas : 2010 -2013
	Age 15- 29 years
Table 3.6A	Top 10 Causes of Death in age 15-29 years in India : 2010 -2013
Table 3.6B	Top 10 Causes of Death in age 15-29 years in EAG States & Assam And Other States : 2010 -2013
Table 3.6C	Top 10 Causes of Death in age 15-29 years in Rural & Urban Areas : 2010 -2013
	Age 30-69 years
Table 3.7A	Top 10 Causes of Death in age 30-69 years in India : 2010 -2013
Table 3.7B	Top 10 Causes of Death in age 30-69 years in EAG States & Assam And Other States : 2010 -2013
Table 3.7C	Top 10 Causes of Death in age 30-69 years in Rural & Urban Areas : 2010 -2013
	Age 70+ years
Table 3.8A	Top 10 Causes of Death in age 70 years and over adults in India : 2010 -2013
Table 3.8B	Top 10 Causes of Death in age 70 years and over adults in EAG States & Assam And Other States : 2010 -2013
Table 3.8C	Top 10 Causes of Death in age 70 years and over adults in Rural & Urban Areas : 2010 -2013
	Mortality from Special Conditions
Table 4.1	Proportion of Deaths from Specific medical causes in India : 2010 -2013
Table 4.2	Proportion of Deaths from Specific medical causes in EAG States & Assam And Other States : 2010 -2013
Table 4.3	Proportion of Deaths from Specific medical causes in Rural & Urban Areas : 2010 -2013
	Top 10 causes All ages- Major Regions
Table 5.1 A	Top 10 Causes of Death (All Ages): 2010 -2013;Major Region- North : (Chandigarh,Delhi,Haryana,Himachal Pradesh, Jammu & Kashmir, Punjab and uttarakhand)
Table 5.1 B	Top 10 Causes of Death (All Ages): 2010 -2013; Major Region- North East : (Arunachal Pradesh,Assam,Manipur,Meghalaya, Mizoram,Nagaland,Sikkim and Tripura)
Table 5.1 C	Top 10 Causes of Death (All Ages): 2010 -2013; Major Region- East : (Bihar, Jharkhand,Orissa and West Bengal)
Table 5.1 D	Top 10 Causes of Death (All Ages as %): 2010 -2013; Major Region- Central : (Chattisgarh,Madhya Pradesh,Rajasthan and Uttar Pradesh)
Table 5.1 E	Top 10 Causes of Death (All Ages as %): 2010 -2013; Major Region- West : (Dadra & Nagar Haveli,Daman & Diu, Goa, Gujarat and Maharashtra)
Table 5.1 F	Top 10 Causes of Death (All Ages): 2010 -2013; Major Region- South : (Andhra Pradesh,Andaman & Nicobar Islands,Karnataka,Kerala,Lakshadweep,Puducherry and Tamil Nadu)
	Top 10 causes All ages-Major Regions
Table 5.2A	Distribution of Deaths by Age and Gender, 2010 -2013; Major Region- North : (Chandigarh,Delhi,Haryana,Himachal Pradesh, Jammu & Kashmir, Punjab and uttarakhand)
Table 5.2B	Distribution of Deaths by Age and Gender, 2010 -2013; Major Region- North East : (Arunachal Pradesh,Assam,Manipur,Meghalaya, Mizoram,Nagaland,Sikkim and Tripura)
Table 5.2C	Distribution of Deaths by Age and Gender, 2010 -2013; Major Region- East : (Bihar, Jharkhand,Orissa and West Bengal)
Table 5.2D	Distribution of Deaths by Age and Gender, 2010 -2013; Major Region- Central : (Chattisgarh,Madhya Pradesh,Rajasthan and Uttar Pradesh)
Table 5.2E	Distribution of Deaths by Age and Gender, 2010 -2013; Major Region- West : (Dadra & nagar Haveli,Daman & Diu, Goa, Gujarat and Maharashtra)
Table 5.2F	Distribution of Deaths by Age and Gender, 2010 -2013; Major Region- South : (Andhra Pradesh,Andaman & Nicobar Islands,Karnataka,Kerala,Lakshadweep,Puducherry and Tamil Nadu)
	Annexures
Annexure 1	Classification List 2
Annexure 2	Classification List 3
Annexure 3	Classification List 1

Table 1.1 Number of Sample Units & Population Covered under SRS: India, States and Union Territories 2013

S.No.	States/UTs	Number of Sample Units			Population Covered (in '000)		
		Total	Rural	Urban	Total	Rural	Urban
	India	7597	4433	3164	7522	5520	2002
	Bigger States						
1	Andhra Pradesh	375	235	140	423	329	94
2	Assam	300	90	210	231	102	130
3	Bihar	330	200	130	386	316	70
4	Chhattisgarh	130	40	90	112	47	65
5	Delhi	200	10	190	173	22	151
6	Gujarat	365	215	150	374	291	82
7	Haryana	210	100	110	222	141	81
8	Jammu & Kashmir	260	150	110	231	182	49
9	Jharkhand	170	60	110	123	67	56
10	Karnataka	480	330	150	441	359	82
11	Kerala	250	150	100	358	291	67
12	Madhya Pradesh	340	220	120	334	260	74
13	Maharashtra	485	250	235	417	284	134
14	Odisha	405	290	115	352	282	70
15	Punjab	250	150	100	250	181	69
16	Rajasthan	350	250	100	354	302	53
17	Tamil Nadu	465	250	215	486	345	141
18	Uttar Pradesh	500	350	150	601	497	104
19	West Bengal	555	310	245	627	457	171
	Smaller States						
1	Arunachal Pradesh	60	45	15	38	24	14
2	Goa	85	43	42	85	59	25
3	Himachal Pradesh	190	140	50	99	72	28
4	Manipur	150	110	40	142	116	25
5	Meghalaya	120	90	30	74	55	19
6	Mizoram	40	20	20	33	19	14
7	Nagaland	45	33	12	38	29	8
8	Sikkim	60	45	15	68	56	12
9	Tripura	80	60	20	118	105	13
10	Uttarakhand	150	100	50	119	88	31
	Union Territories						
1	Andaman & Nicobar Islands	50	34	16	40	30	10
2	Chandigarh	35	5	30	37	12	25
3	Dadra & Nagar Haveli	30	22	8	43	37	5
4	Daman & Diu	20	13	7	28	24	4
5	Lakshadweep	12	6	6	15	10	5
6	Puducherry	50	17	33	49	28	21

Table 1.2 : Distribution of Deaths by EAG States & Assam and Other States by Age Group: Comparison of Percentage of Deaths in Verbal autopsy (2010-2013) and Sample Registration System (SRS-2010-2013)

Age Group	EAG States & Assam		Other States	
	SRS	VA	SRS	VA
0-4	20.1	19.3	9.3	8.7
5-14	2.9	2.9	1.4	1.3
15-29	7.1	7.4	6.1	6.1
30-34	2.5	2.5	2.5	2.6
35-44	6.0	6.1	6.8	6.8
45-54	8.3	8.3	10.0	10.2
55-69	22.8	22.4	26.0	26.1
70+	30.3	31.0	37.9	38.3

Table 1.3A: Distribution of Deaths in India : 2010 -2013 Person

CAUSE OF DEATH	FINAL ICD CODES	PERSON	AGE GROUP (% Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	6845	0.2	2.1	5.1	8.3	7.3	4.9	1.9	3.7
HIV/AIDS	B20-B24,C46,D84,R75	425	0.0	0.1	0.6	1.4	0.4	0.1	0.0	0.2
Diarrhoeal diseases	A00-A09	9361	8.6	11.6	3.8	2.5	2.4	4.2	5.8	5.1
Malaria	B50-B54	3621	2.0	7.7	3.6	2.4	1.8	1.8	1.4	2.0
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	771	0.2	1.2	0.7	0.6	0.5	0.4	0.3	0.4
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04 A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	7155	17.1	6.5	0.9	0.7	0.9	1.7	2.9	3.9
Acute bacterial sepsis & severe Infections	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	1598	3.8	0.8	0.5	0.4	0.4	0.5	0.4	0.9
Other infectious and parasitic diseases	O00-O99,A34,F53	2984	3.7	10.6	3.6	2.4	1.5	0.9	0.4	1.6
Maternal conditions	P00-P22,P24-P29,P50-P96,R95,R96**	650	0.0	0.0	4.0	1.0	0.0	0.0	0.0	0.4
Perinatal conditions	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	10271	45.1	0.0	0.0	0.0	0.0	0.0	0.0	5.6
Nutritional deficiencies	R50	1235	2.3	1.6	0.7	0.5	0.3	0.6	0.3	0.7
Fever of unknown origin		5804	2.5	5.1	2.7	2.0	2.0	3.0	4.1	3.2
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	11201	0.1	0.9	4.7	9.7	12.4	9.5	3.8	6.1
Diabetes mellitus	E10-E14	4172	0.0	0.2	0.4	1.0	2.5	3.8	2.7	2.3
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	1989	0.8	3.7	2.6	1.8	1.2	1.0	0.6	1.1
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	42524	0.2	1.5	7.5	20.6	33.3	35.4	24.9	23.3
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	13984	0.5	0.6	0.9	2.0	4.8	11.1	11.6	7.6
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	8993	1.8	6.4	7.2	11.4	9.3	5.4	2.4	4.9
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	4797	0.2	1.4	2.4	3.5	4.4	3.6	2.2	2.6
Congenital anomalies	Q00-Q99	1179	4.4	2.0	0.6	0.1	0.0	0.0	0.0	0.6

Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	1122	0.7	3.7	0.5	0.4	0.5	0.5	0.6	0.6
Injuries										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	5373	0.5	6.1	13.7	9.0	4.6	1.6	0.6	2.9
Unintentional injuries: Other Than Motor Vehicle Accidents	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	8625	4.0	20.5	10.9	7.0	4.0	3.3	3.6	4.7
Intentional injuries: Suicide	X60-X84	4812	0.0	2.3	18.0	8.2	3.1	1.0	0.3	2.6
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	558	0.1	0.6	1.5	1.2	0.4	0.1	0.0	0.3
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	195	0.0	0.4	0.6	0.3	0.1	0.1	0.0	0.1
Symptoms, signs and Ill-defined conditions										
Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	22583	0.9	2.5	2.2	1.6	1.7	5.6	29.0	12.4
Total		182827	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: ** R96 - Sudden deaths are in 'perinatal conditions' (when age<1 year),in 'Cardiovascular diseases' (when age>30 year) and else in 'ill-defined conditions'

Statement 1.3B - Distribution of Deaths in India : 2010-2013 Male

CAUSE OF DEATH	FINAL ICD CODES	AGE GROUP (% Deaths)								Total
		MALE	0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	4624	0.2	2.0	4.9	8.5	8.1	5.6	2.5	4.5
HIV/AIDS	B20-B24,C46,D84,R75	299	0.0	0.1	0.8	1.5	0.4	0.1	0.0	0.3
Diarrhoeal diseases	A00-A09	4390	7.8	10.6	2.9	2.1	2.0	3.3	5.1	4.2
Malaria	B50-B54	1796	1.9	7.3	3.2	1.9	1.6	1.5	1.2	1.7
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	398	0.2	1.0	0.7	0.5	0.4	0.4	0.3	0.4
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04	3791	17.1	6.0	0.8	0.6	0.8	1.5	2.9	3.7
Acute bacterial sepsis & severe Infections	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	867	3.9	0.7	0.5	0.4	0.4	0.5	0.4	0.8
Other infectious and parasitic diseases	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	1594	3.5	10.1	3.2	2.0	1.4	0.9	0.4	1.5
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**	5679	46.3	0.0	0.0	0.0	0.0	0.0	0.0	5.5
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	501	1.9	1.5	0.3	0.2	0.2	0.4	0.2	0.5
Fever of unknown origin	R50	2722	2.4	4.2	2.2	1.4	1.6	2.4	3.6	2.6
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	5987	0.2	0.9	4.3	6.9	9.7	8.9	4.1	5.8
Diabetes mellitus	E10-E14	2239	0.0	0.1	0.4	1.0	2.2	3.4	2.8	2.2
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	1040	0.9	4.0	2.4	1.6	1.0	0.8	0.6	1.0
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	26045	0.1	1.4	7.9	21.6	34.9	37.8	26.7	25.1
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	8043	0.6	0.6	0.9	1.7	4.4	11.3	12.6	7.8
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	6183	1.9	5.2	7.3	13.7	11.0	6.1	2.8	6.0
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	3016	0.3	1.4	2.2	3.5	4.1	3.8	2.7	2.9
Congenital anomalies	Q00-Q99	670	4.7	2.2	0.6	0.1	0.0	0.0	0.0	0.6

Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	499	0.7	3.9	0.4	0.2	0.2	0.4	0.4	0.5
Injuries										
Unintentional injuries:										
Motor Vehicle Accidents	V01-V89	4512	0.5	8.1	21.9	11.7	5.6	2.1	0.8	4.4
Unintentional injuries: Other Than Motor Vehicle Accidents	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	4981	4.0	23.7	12.3	7.3	4.3	3.0	3.4	4.8
Intentional injuries: Suicide	X60-X84	2815	0.0	1.6	15.0	8.4	3.4	1.2	0.4	2.7
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	441	0.1	0.6	2.2	1.4	0.5	0.1	0.1	0.4
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	137	0.0	0.5	0.7	0.3	0.1	0.1	0.0	0.1
Symptoms, signs and Ill-defined conditions										
Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	10398	0.7	2.5	2.1	1.3	1.6	4.4	25.9	10.0

Statement 1.3C - Distribution of Deaths in India : 2010 - 2013 Female

CAUSE OF DEATH	FINAL ICD CODES	AGE GROUP (% Deaths)								Total
		FEMALE	0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	2221	0.2	2.1	5.3	7.9	5.6	3.8	1.4	2.8
HIV/AIDS	B20-B24,C46,D84,R75	126	0.0	0.1	0.4	1.2	0.4	0.0	0.0	0.2
Diarrhoeal diseases	A00-A09	4971	9.5	12.8	5.1	3.5	3.2	5.4	6.6	6.3
Malaria	B50-B54	1825	2.1	8.2	4.0	3.4	2.1	2.4	1.6	2.3
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	373	0.3	1.3	0.7	0.6	0.7	0.5	0.4	0.5
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04	3364	17.2	7.1	1.1	1.0	1.1	2.0	2.8	4.2
Acute bacterial sepsis & severe Infections	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	731	3.8	1.0	0.5	0.5	0.3	0.5	0.5	0.9
Other infectious and parasitic diseases	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	1390	3.9	11.3	4.1	3.0	1.7	1.0	0.4	1.8
Maternal conditions	O00-O99,A34,F53	650	0.0	0.0	9.0	3.0	0.1	0.0	0.0	0.8
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**	4592	43.8	0.0	0.0	0.0	0.0	0.0	0.0	5.8
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	734	2.7	1.8	1.3	1.1	0.6	0.8	0.3	0.9
Fever of unknown origin	R50	3082	2.6	6.1	3.4	3.1	2.7	3.8	4.7	3.9
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	5214	0.1	0.8	5.2	15.5	18.3	10.3	3.5	6.6
Diabetes mellitus	E10-E14	1933	0.0	0.4	0.5	1.1	3.4	4.3	2.7	2.4
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	949	0.7	3.4	2.9	2.3	1.8	1.3	0.6	1.2
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	16479	0.2	1.7	7.0	18.6	29.8	32.0	23.0	20.8
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	5941	0.4	0.6	0.9	2.5	5.7	10.7	10.5	7.5
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	2810	1.8	7.8	7.0	6.7	5.7	4.4	2.0	3.5
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	1781	0.2	1.3	2.7	3.5	4.9	3.3	1.6	2.2
Congenital anomalies	Q00-Q99	509	4.1	1.8	0.6	0.3	0.0	0.0	0.0	0.6

Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	623	0.8	3.4	0.7	0.6	1.0	0.7	0.7	0.8
Injuries										
Unintentional injuries:										
Motor Vehicle										
Accidents	V01-V89	861	0.4	3.9	3.3	3.3	2.3	0.9	0.3	1.1
Unintentional injuries: Other Than Motor Vehicle Accidents										
	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	3644	4.0	16.8	9.0	6.4	3.5	3.7	3.9	4.6
Intentional injuries:										
Suicide										
	X60-X84	1997	0.0	3.1	21.8	7.9	2.6	0.8	0.2	2.5
Intentional injuries: Other Than Suicide										
	X85-Y09,Y35,Y36	117	0.1	0.6	0.6	0.6	0.3	0.0	0.0	0.1
Injuries of Undetermined Intent										
	Y10-Y14,Y16-Y34,Y96-Y98	58	0.0	0.2	0.4	0.2	0.1	0.1	0.0	0.1
Symptoms, signs and Ill-defined conditions										
Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	12185	1.1	2.5	2.5	2.0	1.9	7.3	32.2	15.4

Table 2.1A : Distribution of Deaths by Major Cause Groups in India : 2010-2013

Major cause groups	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
Communicable, maternal, perinatal and nutritional conditions	26661	25.7	24059	30.4	50720	27.74
Noncommunicable diseases	53722	51.8	36239	45.8	89961	49.21
Injuries	12886	12.4	6677	8.4	19563	10.70
Symptoms, signs and Ill-defined conditions	10398	10.0	12185	15.4	22583	12.35
Total	103667	100.0	79160	100.0	182827	100.0

Table 2.1B : Distribution of Deaths by Major Cause Groups in EAG States & Assam and Other States : 2010-2013

Major cause groups	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
EAG States & Assam						
Communicable, maternal, perinatal and nutritional conditions	13142	36.1	12023	41.7	25165	38.5
Noncommunicable diseases	15095	41.4	10333	35.8	25428	39.0
Injuries	4229	11.6	2345	8.1	6574	10.1
Symptoms, signs and Ill-defined conditions	3964	10.9	4161	14.4	8125	12.4
Total	36430	100.0	28862	100.0	65292	100.0
Other States						
Communicable, maternal, perinatal and nutritional conditions	13519	20.1	12036	23.9	25555	21.7
Noncommunicable diseases	38627	57.4	25906	51.5	64533	54.9
Injuries	8657	12.9	4332	8.6	12989	11.1
Symptoms, signs and Ill-defined conditions	6434	9.6	8024	16.0	14458	12.3
Total	67237	100.0	50298	100.0	117535	100.0

Table 2.1C : Distribution of Deaths by Major Cause Groups in Rural and Urban Areas : 2010-2013

Major cause groups	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
Rural Area						
Communicable, maternal, perinatal and nutritional conditions	21925	27.4	19731	32.0	41656	29.4
Noncommunicable diseases	39519	49.4	26984	43.8	66503	46.9
Injuries	10256	12.8	5301	8.6	15557	11.0
Symptoms, signs and Ill-defined conditions	8333	10.4	9611	15.6	17944	12.7
Total	80033	100.0	61627	100.0	141660	100.0
Urban Area						
Communicable, maternal, perinatal and nutritional conditions	4736	20.0	4328	24.7	9064.0	22.0
Noncommunicable diseases	14203	60.1	9255	52.8	23458.0	57.0
Injuries	2630	11.1	1376	7.8	4006.0	9.7
Symptoms, signs and Ill-defined conditions	2065	8.7	2574	14.7	4639.0	11.3
Total	23634	100.0	17533	100.0	41167.0	100.0

**Table 2.2A: Distribution of Deaths by age and gender in India
: 2010-2013**

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	10353	10.0	8532	10.8	18885	10.3
1-4	1920	1.9	1961	2.5	3881	2.1
0-4	12273	11.8	10493	13.3	22766	12.5
5-14	1812	1.7	1570	2.0	3382	1.9
15-29	6693	6.5	5308	6.7	12001	6.6
30-34	3074	3.0	1609	2.0	4683	2.6
35-44	8175	7.9	3783	4.8	11958	6.5
45-54	11905	11.5	5489	6.9	17394	9.5
55-69	26426	25.5	18929	23.9	45355	24.8
70+	33309	32.1	31979	40.4	65288	35.7
Total	103667	100.0	79160	100.0	182827	100.0

**Table 2.2B: Distribution of Deaths by age and gender in EAG States & Assam and Other States :
2010-2013**

Age Group	Deaths (%)											
	EAG States & Assam						Other States					
	Male	Male %	Female	Female %	Person	Person %	Male	Male %	Female	Female %	Person	Person %
0-1	5525	15.2	4732	16.4	10257	15.7	4828	7.2	3800	7.6	8628	7.3
1-4	1119	3.1	1195	4.1	2314	3.5	801	1.2	766	1.5	1567	1.3
0-4	6644	18.2	5927	20.5	12571	19.3	5629	8.4	4566	9.1	10195	8.7
5-14	988	2.7	882	3.1	1870	2.9	824	1.2	688	1.4	1512	1.3
15-29	2538	7.0	2277	7.9	4815	7.4	4155	6.2	3031	6.0	7186	6.1
30-34	1010	2.8	653	2.3	1663	2.5	2064	3.1	956	1.9	3020	2.6
35-44	2604	7.1	1404	4.9	4008	6.1	5571	8.3	2379	4.7	7950	6.8
45-54	3576	9.8	1870	6.5	5446	8.3	8329	12.4	3619	7.2	11948	10.2
55-69	8450	23.2	6207	21.5	14657	22.4	17976	26.7	12722	25.3	30698	26.1
70+	10620	29.2	9642	33.4	20262	31.0	22689	33.7	22337	44.4	45026	38.3
Total	36430	100.0	28862	100.0	65292	100.0	67237	100.0	50298	100.0	117535	100.0

Table 2.2C: Distribution of Deaths by age and gender in Rural & Urban Areas: 2010-2013

Age Group	Deaths (%)											
	Rural Area						Urban Area					
	Male	Male %	Female	Female %	Person	Person %	Male	Male %	Female	Female %	Person	Person %
0-1	8675	10.8	7117	11.5	15792	11.1	1678	7.1	1415	8.1	3093	7.5
1-4	1606	2.0	1643	2.7	3249	2.3	314	1.3	318	1.8	632	1.5
0-4	10281	12.8	8760	14.2	19041	13.4	1992	8.4	1733	9.9	3725	9.0
5-14	1516	1.9	1301	2.1	2817	2.0	296	1.3	269	1.5	565	1.4
15-29	5149	6.4	4138	6.7	9287	6.6	1544	6.5	1170	6.7	2714	6.6
30-34	2263	2.8	1262	2.0	3525	2.5	811	3.4	347	2.0	1158	2.8
35-44	6094	7.6	2939	4.8	9033	6.4	2081	8.8	844	4.8	2925	7.1
45-54	8722	10.9	4023	6.5	12745	9.0	3183	13.5	1466	8.4	4649	11.3
55-69	20121	25.1	14527	23.6	34648	24.5	6305	26.7	4402	25.1	10707	26.0
70+	25887	32.3	24677	40.0	50564	35.7	7422	31.4	7302	41.6	14724	35.8
Total	80033	100.0	61627	100.0	141660	100.0	23634	100.0	17533	100.0	41167	100.0

Table 2.3A: Top 10 Causes of Death in India (all ages): 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	25.1	20.8	23.3
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	10.0	15.4	12.4
3	Respiratory diseases	7.8	7.5	7.6
4	Malignant and other Neoplasms	5.8	6.6	6.1
5	Perinatal conditions	5.5	5.8	5.6
6	Diarrhoeal diseases	4.2	6.3	5.1
7	Digestive diseases	6.0	3.5	4.9
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.8	4.6	4.7
9	Respiratory infections	3.7	4.2	3.9
10	Tuberculosis	4.5	2.8	3.7
	All Other Remaining Causes	22.7	22.4	22.6
	Total	100.0	100.0	100.0

Table 2.3B: Top 10 Causes of Death in EAG States & Assam and Other States (all ages): 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Cardiovascular diseases	17.2	13.6	15.6
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	10.9	14.4	12.4
3	Perinatal conditions	8.4	8.7	8.5
4	Respiratory diseases	8.6	7.7	8.2
5	Diarrhoeal diseases	6.8	9.0	7.8
6	Respiratory infections	5.2	5.8	5.4
7	Digestive diseases	5.7	4.8	5.3
8	Unintentional injuries: Other Than Motor Vehicle Accidents	5.4	5.2	5.3
9	Malignant and other Neoplasms	4.3	4.7	4.5
10	Tuberculosis	5.4	3.2	4.4
	All Other Remaining Causes	22.2	22.9	22.5
	Total	100.0	100.0	100.0
Other States				
1	Cardiovascular diseases	29.4	24.9	27.5
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	9.6	16.0	12.3
3	Respiratory diseases	7.3	7.4	7.3
4	Malignant and other Neoplasms	6.6	7.7	7.0
5	Digestive diseases	6.1	2.8	4.7
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.5	4.3	4.4
7	Perinatal conditions	3.9	4.2	4.0
8	Diarrhoeal diseases	2.8	4.7	3.6
9	Tuberculosis	4.0	2.6	3.4
10	Intentional injuries: Suicide	3.4	3.1	3.2
	All Other Remaining Causes	22.5	22.5	22.5
	Total	100.0	100.0	100.0

Table 2.3C: Top 10 Causes of Death in Rural & Urban Areas (all ages): 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Cardiovascular diseases	23.2	19.4	21.5
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	10.4	15.6	12.7
3	Respiratory diseases	8.3	7.8	8.1
4	Perinatal conditions	5.9	6.2	6.0
5	Malignant and other Neoplasms	5.5	6.3	5.9
6	Diarrhoeal diseases	4.6	6.7	5.5
7	Unintentional injuries: Other Than Motor Vehicle Accidents	5.1	4.7	4.9
8	Digestive diseases	5.6	3.6	4.7
9	Respiratory infections	3.9	4.4	4.1
10	Tuberculosis	4.7	2.9	3.9
	All Other Remaining Causes	22.9	22.4	22.7
	Total	100.0	100.0	100.0
Urban Areas				
1	Cardiovascular diseases	31.7	25.8	29.2
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	8.7	14.7	11.3
3	Malignant and other Neoplasms	6.6	7.6	7.0
4	Respiratory diseases	6.1	6.3	6.2
5	Digestive diseases	7.3	3.5	5.7
6	Perinatal conditions	4.0	4.3	4.1
7	Unintentional injuries: Other Than Motor Vehicle Accidents	3.9	4.4	4.1
8	Diarrhoeal diseases	3.2	4.7	3.8
9	Genito-urinary diseases	3.7	3.3	3.5
10	Unintentional injuries: Motor Vehicle Accidents	4.7	1.3	3.3
	All Other Remaining Causes	20.1	24.1	21.8
	Total	100.0	100.0	100.0

Table 3.1 A: Top 10 Causes of Death in age below 29 days: 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	47.0	49.5	48.1
2	Birth asphyxia & birth trauma	13.7	11.9	12.9
3	Neonatal Pneumonia	12.3	11.7	12.0
4	Other noncommunicable diseases	7.0	7.1	7.1
5	Sepsis	5.4	5.4	5.4
6	Ill defined or cause unknown	4.9	5.1	5.0
7	Congenital anomalies	4.4	3.6	4.0
8	Diarrhoeal diseases	2.9	3.4	3.1
9	Injuries	1.0	0.9	0.9
10	Tetanus	0.6	0.4	0.5
	All Other Remaining Causes	0.9	1.0	0.9
	Total	100.0	100.0	100.0

Table 3.1B: Top 10 Causes of Death in age below 29 days in EAG States & Assam and other States : 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Prematurity & low birth weight	47.8	49.6	48.6
2	Neonatal Pneumonia	14.5	14.2	14.3
3	Birth asphyxia & birth trauma	11.3	9.7	10.6
4	Other noncommunicable diseases	6.9	7.2	7.0
5	Sepsis	5.8	5.9	5.8
6	Ill defined or cause unknown	5.1	4.8	5.0
7	Diarrhoeal diseases	4.0	4.5	4.2
8	Congenital anomalies	1.8	1.7	1.8
9	Injuries	1.1	1.0	1.1
10	Tetanus	0.9	0.5	0.7
	All Other Remaining Causes	0.9	0.9	0.9
	Total	100.0	100.0	100.0
Other States				
1	Prematurity & low birth weight	46.0	49.4	47.5
2	Birth asphyxia & birth trauma	16.7	14.7	15.9
3	Neonatal Pneumonia	9.5	8.6	9.2
4	Other noncommunicable diseases	7.2	7.0	7.1
5	Congenital anomalies	7.5	6.0	6.9
6	Ill defined or cause unknown	4.6	5.4	5.0
7	Sepsis	5.0	4.7	4.9
8	Diarrhoeal diseases	1.5	2.0	1.7
9	Injuries	0.8	0.7	0.7
10	Fever of unknown origin	0.2	0.4	0.3
	All Other Remaining Causes	0.9	0.9	0.9
	Total	100.0	100.0	100.0

Table 3.1C: Top 10 Causes of Death in age below 29 days in Rural and Urban Areas : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Prematurity & low birth weight	47.3	49.4	48.3
2	Birth asphyxia & birth trauma	13.3	11.6	12.5
3	Neonatal Pneumonia	12.6	12.2	12.4
4	Other noncommunicable diseases	6.8	7.2	7.0
5	Sepsis	5.6	5.5	5.5
6	Ill defined or cause unknown	4.8	5.0	4.9
7	Congenital anomalies	4.0	3.3	3.7
8	Diarrhoeal diseases	3.1	3.6	3.3
9	Injuries	1.0	0.8	0.9
10	Tetanus	0.6	0.4	0.5
	All Other Remaining Causes	0.8	1.0	0.9
	Total	100.0	100.0	100.0
Urban Areas				
1	Prematurity & low birth weight	45.0	50.1	47.3
2	Birth asphyxia & birth trauma	16.0	13.7	15.0
3	Neonatal Pneumonia	10.4	9.2	9.9
4	Other noncommunicable diseases	7.9	6.4	7.3
5	Congenital anomalies	6.4	4.9	5.8
6	Ill defined or cause unknown	5.5	5.8	5.6
7	Sepsis	4.6	4.9	4.8
8	Diarrhoeal diseases	1.7	2.5	2.0
9	Injuries	0.8	1.3	1.0
10	Tetanus	0.5	0.3	0.4
	All Other Remaining Causes	1.2	0.9	1.1
	Total	100.0	100.0	100.0

Table 3.2A: Top 10 Causes of Death in age below 1 year in India : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	35.6	36.4	35.9
2	Pneumonia	17.0	16.8	16.9
3	Birth asphyxia & birth trauma	10.7	9.1	9.9
4	Other noncommunicable diseases	8.2	7.5	7.9
5	Diarrhoeal diseases	6.2	7.3	6.7
6	Ill defined or cause unknown	4.4	4.9	4.6
7	Congenital anomalies	4.8	4.3	4.6
8	Acute bacterial sepsis and severe infections	4.2	4.3	4.2
9	Injuries	2.0	2.1	2.1
10	Fever of unknown origin	1.7	1.8	1.7
	All Other Remaining Causes	5.2	5.7	5.4
	Total	100.0	100.0	100.0

Table 3.2B: Top 10 Causes of Death in age below 1 year in EAG States & Assam And other States : 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Prematurity & low birth weight	37.1	36.8	37.0
2	Pneumonia	19.0	18.7	18.8
3	Birth asphyxia & birth trauma	9.1	7.6	8.4
4	Diarrhoeal diseases	7.8	8.6	8.2
5	Other noncommunicable diseases	7.1	7.4	7.3
6	Ill defined or cause unknown	4.6	4.7	4.6
7	Acute bacterial sepsis and severe infections	4.4	4.7	4.6
8	Injuries	2.3	2.4	2.4
9	Congenital anomalies	2.0	2.0	2.0
10	Fever of unknown origin	1.6	1.7	1.6
	All Other Remaining Causes	5.0	5.5	5.2
	Total	100.0	100.0	100.0
Other States				
1	Prematurity & low birth weight	33.8	35.9	34.7
2	Pneumonia	14.8	14.3	14.6
3	Birth asphyxia & birth trauma	12.4	10.9	11.8
4	Other noncommunicable diseases	9.3	7.6	8.6
5	Congenital anomalies	8.1	7.2	7.7
6	Diarrhoeal diseases	4.4	5.7	5.0
7	Ill defined or cause unknown	4.2	5.1	4.6
8	Acute bacterial sepsis and severe infections	3.9	3.8	3.9
9	Fever of unknown origin	1.8	1.9	1.8
10	Injuries	1.6	1.8	1.7
	All Other Remaining Causes	5.4	5.9	5.6
	Total	100.0	100.0	100.0

Table 3.2C: Top 10 Causes of Death in age below 1 year in Rural & Urban Areas : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Prematurity & low birth weight	35.8	36.5	36.2
2	Pneumonia	17.4	17.1	17.3
3	Birth asphyxia & birth trauma	10.3	8.8	9.6
4	Other noncommunicable diseases	7.9	7.6	7.7
5	Diarrhoeal diseases	6.4	7.5	6.9
6	Ill defined or cause unknown	4.3	4.7	4.5
7	Acute bacterial sepsis and severe infections	4.3	4.3	4.3
8	Congenital anomalies	4.4	3.9	4.2
9	Injuries	2.1	2.1	2.1
10	Fever of unknown origin	1.8	1.8	1.8
	All Other Remaining Causes	5.3	5.6	5.4
	Total	100.0	100.0	100.0
Urban Areas				
1	Prematurity & low birth weight	34.3	35.5	34.9
2	Pneumonia	15.1	14.8	15.0
3	Birth asphyxia & birth trauma	12.5	10.2	11.4
4	Other noncommunicable diseases	9.7	7.3	8.6
5	Congenital anomalies	6.9	6.4	6.6
6	Diarrhoeal diseases	5.4	6.1	5.8
7	Ill defined or cause unknown	5.0	5.7	5.3
8	Acute bacterial sepsis and severe infections	3.6	4.1	3.8
9	Injuries	1.7	2.3	1.9
10	Fever of unknown origin	0.9	1.8	1.3
	All Other Remaining Causes	4.9	5.7	5.3
	Total	100.0	100.0	100.0

Table 3.3A: Top 10 Causes of Death in age 1- 4 year in India: 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Pneumonia	17.6	18.9	18.2
2	Diarrhoeal diseases	16.3	19.4	17.9
3	Injuries	18.5	15.3	16.9
4	Other noncommunicable diseases	11.8	9.4	10.6
5	Malaria	7.4	6.5	7.0
6	Fever of unknown origin	6.5	6.2	6.3
7	Other infectious and parasitic diseases	3.9	4.2	4.0
8	Congenital anomalies	3.9	3.2	3.5
9	Meningitis/encephalitis	3.5	3.5	3.5
10	Ill defined or cause unknown	3.3	3.1	3.2
	All Other Remaining Causes	7.3	10.4	8.9
	Total	100.0	100.0	100.0

Table 3.3B: Top 10 Causes of Death in age 1- 4 year in EAG States & Assam and Other States : 2010-2013

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Diarrhoeal diseases	19.6	22.3	21.0
2	Pneumonia	19.1	19.7	19.4
3	Injuries	16.0	13.0	14.4
4	Other noncommunicable diseases	9.3	7.6	8.4
5	Malaria	8.6	7.2	7.9
6	Fever of unknown origin	6.7	6.8	6.7
7	Other infectious and parasitic diseases	3.6	4.5	4.1
8	Nutritional diseases	2.5	4.7	3.6
9	Meningitis/encephalitis	3.7	3.2	3.4
10	Ill defined or cause unknown	3.7	2.8	3.2
	All Other Remaining Causes	7.3	8.2	7.8
	Total	100.0	100.0	100.0
Other States				
1	Injuries	22.1	18.9	20.5
2	Pneumonia	15.5	17.6	16.5
3	Other noncommunicable diseases	15.2	12.1	13.7
4	Diarrhoeal diseases	11.6	14.9	13.2
5	Congenital anomalies	6.7	6.1	6.4
6	Fever of unknown origin	6.1	5.4	5.7
7	Malaria	5.9	5.5	5.7
8	Other infectious and parasitic diseases	4.2	3.7	4.0
9	Meningitis/encephalitis	3.4	3.9	3.6
10	Ill defined or cause unknown	2.9	3.4	3.1
	All Other Remaining Causes	6.4	8.5	7.4
	Total	100.0	100.0	100.0

Table 3.3C: Top 10 Causes of Death in age 1- 4 year in Rural & Urban Areas : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Pneumonia	18.1	18.8	18.4
2	Diarrhoeal diseases	15.8	19.5	17.7
3	Injuries	18.4	15.5	16.9
4	Other noncommunicable diseases	12.0	9.2	10.6
5	Malaria	7.8	6.9	7.3
6	Fever of unknown origin	6.7	6.3	6.5
7	Other infectious and parasitic diseases	4.0	4.1	4.0
8	Meningitis/encephalitis	3.8	3.5	3.7
9	Congenital anomalies	3.5	3.0	3.3
10	Ill defined or cause unknown	3.3	2.8	3.0
	All Other Remaining Causes	6.8	10.4	8.6
	Total	100.0	100.0	100.0
Urban Areas				
1	Diarrhoeal diseases	18.8	18.9	18.8
2	Pneumonia	15.3	19.2	17.2
3	Injuries	19.4	14.2	16.8
4	Other noncommunicable diseases	10.8	10.4	10.6
5	Fever of unknown origin	5.4	6.0	5.7
6	Malaria	5.7	4.7	5.2
7	Congenital anomalies	5.7	4.1	4.9
8	Ill defined or cause unknown	3.5	4.4	4.0
9	Other infectious and parasitic diseases	3.2	4.7	4.0
10	Nutritional diseases	3.5	2.8	3.2
	All Other Remaining Causes	8.6	10.7	9.7
	Total	100.0	100.0	100.0

Table 3.4A- Top 10 Causes of Death in age 0 - 4 years in India : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	30.0	29.6	29.8
2	Pneumonia	17.1	17.2	17.1
3	Diarrhoeal diseases	7.8	9.5	8.6
4	Other noncommunicable diseases	8.7	7.9	8.3
5	Birth asphyxia & birth trauma	9.0	7.4	8.2
6	Injuries	4.6	4.6	4.6
7	Congenital anomalies	4.7	4.1	4.4
8	Ill defined or cause unknown	4.2	4.5	4.4
9	Acute bacterial sepsis and severe infections	3.6	3.6	3.6
10	Fever of unknown origin	2.4	2.6	2.5
	All Other Remaining Causes	7.8	9.1	8.4
	Total	100.0	100.0	100.0

Table 3.4B: Top 10 Causes of Death in age 0 - 4 years in EAG States & Assam and Other States : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Prematurity & low birth weight	30.9	29.4	30.2
2	Pneumonia	19.0	18.9	19.0
3	Diarrhoeal diseases	9.8	11.3	10.5
4	Other noncommunicable diseases	7.5	7.5	7.5
5	Birth asphyxia & birth trauma	7.6	6.0	6.9
6	Injuries	4.6	4.5	4.6
7	Ill defined or cause unknown	4.4	4.3	4.4
8	Acute bacterial sepsis and severe infections	3.7	3.9	3.8
9	Fever of unknown origin	2.4	2.7	2.6
10	Malaria	2.2	2.1	2.1
	All Other Remaining Causes	7.9	9.3	8.5
	Total	100.0	100.0	100.0
Other States				
1	Prematurity & low birth weight	29.0	29.9	29.4
2	Pneumonia	14.9	14.9	14.9
3	Birth asphyxia & birth trauma	10.7	9.1	10.0
4	Other noncommunicable diseases	10.2	8.4	9.4
5	Congenital anomalies	7.9	7.0	7.5
6	Diarrhoeal diseases	5.5	7.2	6.3
7	Injuries	4.6	4.6	4.6
8	Ill defined or cause unknown	4.0	4.8	4.4
9	Acute bacterial sepsis and severe infections	3.4	3.2	3.3
10	Fever of unknown origin	2.4	2.5	2.4
	All Other Remaining Causes	7.4	8.4	7.9
	Total	100.0	100.0	100.0

Table 3.4C: Top 10 Causes of Death in age 0 - 4 years in Rural & Urban Areas : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Prematurity & low birth weight	30.2	29.7	30.0
2	Pneumonia	17.5	17.5	17.5
3	Diarrhoeal diseases	7.9	9.8	8.7
4	Other noncommunicable diseases	8.5	7.9	8.2
5	Birth asphyxia & birth trauma	8.7	7.2	8.0
6	Injuries	4.6	4.6	4.6
7	Ill defined or cause unknown	4.1	4.3	4.2
8	Congenital anomalies	4.3	3.7	4.0
9	Acute bacterial sepsis and severe infections	3.7	3.7	3.7
10	Fever of unknown origin	2.6	2.6	2.6
	All Other Remaining Causes	7.9	9.1	8.4
	Total	100.0	100.0	100.0
Urban Areas				
1	Prematurity & low birth weight	28.9	29.0	28.9
2	Pneumonia	15.2	15.6	15.4
3	Birth asphyxia & birth trauma	10.5	8.3	9.5
4	Other noncommunicable diseases	9.9	7.9	9.0
5	Diarrhoeal diseases	7.5	8.5	8.0
6	Congenital anomalies	6.7	5.9	6.3
7	Ill defined or cause unknown	4.8	5.4	5.1
8	Injuries	4.5	4.4	4.5
9	Acute bacterial sepsis and severe infections	3.2	3.4	3.3
10	Fever of unknown origin	1.6	2.6	2.1
	All Other Remaining Causes	7.3	8.8	8.0
	Total	100.0	100.0	100.0

**Table 3.5A-Top 10 Causes of Death in age 5-14 years in India
: 2010-2013**

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Unintentional injuries: Other Than Motor Vehicle Accidents	23.7	16.8	20.5
2	Diarrhoeal diseases	10.6	12.8	11.6
3	Other infectious and parasitic diseases	10.1	11.3	10.6
4	Malaria	7.3	8.2	7.7
5	Respiratory infections	6.0	7.1	6.5
6	Digestive diseases	5.2	7.8	6.4
7	Unintentional injuries: Motor Vehicle Accidents	8.1	3.9	6.1
8	Fever of unknown origin	4.2	6.1	5.1
9	Neuro-psychiatric conditions	4.0	3.4	3.7
10	Other Non-Communicable Diseases	3.9	3.4	3.7
	All Other Remaining Causes	17.0	19.2	18.0
	Total	100.0	100.0	100.0

Table 3.5B: Top 10 Causes of Death in age 5-14 years in EAG States & Assam and Other States : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	23.6	17.6	20.8
2	Diarrhoeal diseases	13.8	14.4	14.1
3	Other infectious and parasitic diseases	9.3	12.4	10.8
4	Digestive diseases	6.2	9.9	7.9
5	Malaria	7.2	8.4	7.8
6	Respiratory infections	6.6	7.7	7.1
7	Unintentional injuries: Motor Vehicle Accidents	7.9	3.2	5.7
8	Fever of unknown origin	4.4	5.6	4.9
9	Other Non-Communicable Diseases	3.0	3.9	3.4
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	3.0	2.6	2.8
	All Other Remaining Causes	15.1	14.5	14.8
	Total	100.0	100.0	100.0
Other States				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	23.9	15.8	20.2
2	Other infectious and parasitic diseases	11.0	9.9	10.5
3	Diarrhoeal diseases	6.8	10.8	8.6
4	Malaria	7.4	8.0	7.7
5	Unintentional injuries: Motor Vehicle Accidents	8.3	4.8	6.7
6	Respiratory infections	5.2	6.3	5.7
7	Fever of unknown origin	4.0	6.8	5.3
8	Neuro-psychiatric conditions	4.6	5.2	4.9
9	Digestive diseases	4.0	5.1	4.5
10	Other Non-Communicable Diseases	5.0	2.9	4.0
	All Other Remaining Causes	19.8	24.4	21.9
	Total	100.0	100.0	100.0

Table 3.5C: Top 10 Causes of Death in age 5-14 years in Rural & Urban Areas : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	24.4	17.1	21.0
2	Diarrhoeal diseases	10.9	13.0	11.9
3	Other infectious and parasitic diseases	10.8	11.2	11.0
4	Malaria	7.7	9.0	8.3
5	Digestive diseases	5.2	8.2	6.5
6	Respiratory infections	5.7	6.9	6.3
7	Unintentional injuries: Motor Vehicle Accidents	7.8	3.5	5.8
8	Fever of unknown origin	3.8	6.7	5.2
9	Neuro-psychiatric conditions	4.1	3.4	3.8
10	Other Non-Communicable Diseases	3.6	3.1	3.4
	All Other Remaining Causes	16.0	18.1	17.0
	Total	100.0	100.0	100.0
Urban Areas				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	20.3	15.6	18.1
2	Diarrhoeal diseases	9.1	11.9	10.4
3	Other infectious and parasitic diseases	6.4	11.9	9.0
4	Unintentional injuries: Motor Vehicle Accidents	9.5	6.0	7.8
5	Respiratory infections	7.1	7.8	7.4
6	Digestive diseases	5.4	6.0	5.7
7	Other Non-Communicable Diseases	5.4	5.2	5.3
8	Fever of unknown origin	6.1	3.4	4.8
9	Malaria	5.1	4.5	4.8
10	Intentional injuries: Suicide	3.4	4.1	3.7
	All Other Remaining Causes	22.3	23.8	23.0
	Total	100.0	100.0	100.0

Table 3.6A: Top 10 Causes of Death in age 15-29 years in India : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Intentional injuries: Suicide	15.0	21.8	18.0
2	Unintentional injuries: Motor Vehicle Accidents	21.9	3.3	13.7
3	Unintentional injuries: Other Than Motor Vehicle Accidents	12.3	9.0	10.9
4	Cardiovascular diseases	7.9	7.0	7.5
5	Digestive diseases	7.3	7.0	7.2
6	Tuberculosis	4.9	5.3	5.1
7	Malignant and other Neoplasms	4.3	5.2	4.7
8	Maternal conditions	0.0	9.0	4.0
9	Diarrhoeal diseases	2.9	5.1	3.8
10	Other infectious and parasitic diseases	3.2	4.1	3.6
	All Other Remaining Causes	20.3	23.2	21.6
	Total	100.0	100.0	100.0

Table 3.6B: Top 10 Causes of Death in age 15-29 years in EAG States & Assam and Other States: 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Unintentional injuries: Motor Vehicle Accidents	20.9	3.3	12.6
2	Unintentional injuries: Other Than Motor Vehicle Accidents	12.8	11.1	12.0
3	Intentional injuries: Suicide	10.2	13.0	11.5
4	Digestive diseases	8.4	9.4	8.9
5	Tuberculosis	6.4	6.0	6.2
6	Cardiovascular diseases	5.5	5.3	5.4
7	Diarrhoeal diseases	4.4	6.3	5.3
8	Other infectious and parasitic diseases	4.9	5.6	5.2
9	Maternal conditions	0.0	10.8	5.1
10	Malaria	4.6	5.4	5.0
	All Other Remaining Causes	22.0	23.7	22.8
	Total	100.0	100.0	100.0
Other States				
1	Intentional injuries: Suicide	17.9	28.3	22.3
2	Unintentional injuries: Motor Vehicle Accidents	22.6	3.3	14.4
3	Unintentional injuries: Other Than Motor Vehicle Accidents	12.0	7.5	10.1
4	Cardiovascular diseases	9.4	8.3	8.9
5	Digestive diseases	6.7	5.2	6.1
6	Malignant and other Neoplasms	4.4	6.1	5.1
7	Tuberculosis	4.0	4.8	4.3
8	Maternal conditions	0.0	7.6	3.2
9	Diarrhoeal diseases	2.0	4.2	2.9
10	Neuro-psychiatric conditions	2.4	3.1	2.7
	All Other Remaining Causes	18.7	21.7	20.0
	Total	100.0	100.0	100.0

**Table 3.6C: Top 10 Causes of Death in age 15-29 years in
Rural & Urban Areas : 2010-2013**

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Intentional injuries: Suicide	16.0	22.6	18.9
2	Unintentional injuries: Motor Vehicle Accidents	21.4	3.0	13.2
3	Unintentional injuries: Other Than Motor Vehicle Accidents	12.9	9.6	11.5
4	Cardiovascular diseases	7.4	6.8	7.2
5	Digestive diseases	6.7	6.8	6.7
6	Tuberculosis	4.8	5.0	4.9
7	Malignant and other Neoplasms	4.3	5.2	4.7
8	Maternal conditions	0.0	9.2	4.1
9	Diarrhoeal diseases	2.8	5.1	3.8
10	Malaria	3.4	4.2	3.7
	All Other Remaining Causes	20.3	22.5	21.3
	Total	100.0	100.0	100.0
Urban Areas				
1	Unintentional injuries: Motor Vehicle Accidents	23.6	4.4	15.3
2	Intentional injuries: Suicide	11.6	18.7	14.7
3	Unintentional injuries: Other Than Motor Vehicle Accidents	10.3	6.8	8.8
4	Digestive diseases	9.3	7.9	8.7
5	Cardiovascular diseases	9.5	7.5	8.7
6	Tuberculosis	5.4	6.5	5.9
7	Malignant and other Neoplasms	4.4	5.4	4.8
8	Diarrhoeal diseases	3.0	5.0	3.9
9	Maternal conditions	0.0	8.1	3.5
10	Other infectious and parasitic diseases	2.8	4.1	3.4
	All Other Remaining Causes	20.0	25.6	22.4
	Total	100.0	100.0	100.0

Table 3.7A: Top 10 Causes of Death in age 30-69 years in India : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	33.4	29.2	31.8
2	Malignant and other Neoplasms	8.7	12.7	10.2
3	Respiratory diseases	7.5	8.3	7.8
4	Digestive diseases	9.0	5.0	7.5
5	Tuberculosis	6.9	4.9	6.1
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.3	4.1	4.2
7	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	3.0	5.4	3.9
8	Unintentional injuries: Motor Vehicle Accidents	5.2	1.6	3.8
9	Genito-urinary diseases	3.8	3.6	3.8
10	Diarrhoeal diseases	2.7	4.6	3.4
	All Other Remaining Causes	15.6	20.5	17.4
	Total	100.0	100.0	100.0

Table 3.7B: Top 10 Causes of Death in age 30-69 years in EAG States & Assam and Other States: 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Cardiovascular diseases	25.9	22.2	24.4
2	Respiratory diseases	9.9	9.5	9.8
3	Malignant and other Neoplasms	7.4	9.8	8.3
4	Digestive diseases	8.8	7.2	8.2
5	Tuberculosis	9.4	6.0	8.0
6	Diarrhoeal diseases	4.8	6.6	5.5
7	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	4.2	7.2	5.4
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.8	5.2	4.9
9	Unintentional injuries: Motor Vehicle Accidents	5.0	1.7	3.7
10	Malaria	3.0	4.2	3.5
	All Other Remaining Causes	16.9	20.5	18.3
	Total	100.0	100.0	100.0
Other States				
1	Cardiovascular diseases	36.9	32.8	35.4
2	Malignant and other Neoplasms	9.3	14.3	11.1
3	Digestive diseases	9.1	3.9	7.2
4	Respiratory diseases	6.4	7.7	6.9
5	Tuberculosis	5.7	4.3	5.2
6	Genito-urinary diseases	4.3	4.2	4.2
7	Unintentional injuries: Motor Vehicle Accidents	5.3	1.6	3.9
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.0	3.6	3.9
9	Intentional injuries: Suicide	4.1	2.9	3.7
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	2.5	4.4	3.2
	All Other Remaining Causes	12.6	20.4	15.5
	Total	100.0	100.0	100.0

**Table 3.7C: Top 10 Causes of Death in age 30-69 years in
Rural & Urban Areas : 2010-2013**

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Cardiovascular diseases	31.6	27.7	30.1
2	Malignant and other Neoplasms	8.6	12.5	10.1
3	Respiratory diseases	8.1	8.9	8.4
4	Digestive diseases	8.5	5.1	7.2
5	Tuberculosis	7.4	5.2	6.6
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.7	4.3	4.5
7	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	3.2	5.6	4.1
8	Unintentional injuries: Motor Vehicle Accidents	5.1	1.5	3.8
9	Diarrhoeal diseases	3.0	5.0	3.7
10	Genito-urinary diseases	3.6	3.2	3.5
	All Other Remaining Causes	16.3	21.1	18.1
	Total	100.0	100.0	100.0
Urban Areas				
1	Cardiovascular diseases	38.9	34.1	37.2
2	Malignant and other Neoplasms	9.0	13.4	10.6
3	Digestive diseases	10.5	4.9	8.5
4	Respiratory diseases	5.6	6.3	5.9
5	Tuberculosis	5.3	3.9	4.8
6	Genito-urinary diseases	4.4	5.2	4.7
7	Unintentional injuries: Motor Vehicle Accidents	5.2	1.9	4.0
8	Diabetes mellitus	2.9	4.7	3.5
9	Unintentional injuries: Other Than Motor Vehicle Accidents	3.0	3.6	3.3
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	2.5	4.5	3.2
	All Other Remaining Causes	12.6	17.6	14.4
	Total	100.0	100.0	100.0

Table 3.8A:Top 10 Causes of Death in age 70 years and over adults in India : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	25.9	32.2	29.0
2	Cardiovascular diseases	26.7	23.0	24.9
3	Respiratory diseases	12.6	10.5	11.6
4	Diarrhoeal diseases	5.1	6.6	5.9
5	Fever of unknown origin	3.6	4.7	4.1
6	Malignant and other Neoplasms	4.1	3.5	3.8
7	Unintentional injuries: Other Than Motor Vehicle Accidents	3.4	3.9	3.6
8	Respiratory infections	2.9	2.8	2.9
9	Diabetes mellitus	2.8	2.7	2.7
10	Digestive diseases	2.8	2.0	2.4
	All Other Remaining Causes	10.2	8.1	9.1
	Total	100.0	100.0	100.0

Table 3.8B: Top 10 Causes of Death in age 70 years and over adults in EAG States & Assam and Other States: 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	29.8	34.1	31.9
2	Cardiovascular diseases	19.3	16.0	17.7
3	Respiratory diseases	14.7	12.5	13.6
4	Diarrhoeal diseases	7.8	10.3	9.0
5	Fever of unknown origin	4.3	5.9	5.1
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.5	3.4	3.4
7	Respiratory infections	2.9	2.9	2.9
8	Digestive diseases	3.0	2.6	2.8
9	Malignant and other Neoplasms	2.8	2.8	2.8
10	Tuberculosis	2.8	1.7	2.3
	All Other Remaining Causes	9.1	7.9	8.5
	Total	100.0	100.0	100.0
Other States				
1	Cardiovascular diseases	30.2	26.1	28.2
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	24.1	31.4	27.7
3	Respiratory diseases	11.6	9.7	10.6
4	Diarrhoeal diseases	3.8	5.1	4.4
5	Malignant and other Neoplasms	4.7	3.8	4.3
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.3	4.1	3.7
7	Fever of unknown origin	3.3	4.1	3.7
8	Diabetes mellitus	3.2	3.2	3.2
9	Respiratory infections	2.9	2.8	2.9
10	Genito-urinary diseases	3.1	2.0	2.5
	All Other Remaining Causes	9.9	7.8	8.8
	Total	100.0	100.0	100.0

Table 3.8C-Top 10 Causes of Death in age 70 years and over adults in Rural & Urban Areas : 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Ill-defined/ All other symptoms, signs and ab	26.8	32.9	29.8
2	Cardiovascular diseases	24.7	21.7	23.2
3	Respiratory diseases	13.4	11.1	12.2
4	Diarrhoeal diseases	5.5	7.2	6.3
5	Fever of unknown origin	3.8	4.9	4.3
6	Malignant and other Neoplasms	3.9	3.3	3.6
7	Unintentional injuries: Other Than Motor Ve	3.4	3.8	3.6
8	Respiratory infections	3.0	2.9	2.9
9	Diabetes mellitus	2.6	2.4	2.5
10	Digestive diseases	2.7	2.0	2.3
	All Other Remaining Causes	10.3	8.1	9.2
	Total	100.0	100.0	100.0
Urban Areas				
1	Cardiovascular diseases	33.9	27.7	30.8
2	Ill-defined/ All other symptoms, signs and ab	22.7	29.9	26.3
3	Respiratory diseases	9.7	8.7	9.2
4	Malignant and other Neoplasms	4.8	4.3	4.5
5	Diarrhoeal diseases	3.6	4.7	4.1
6	Unintentional injuries: Other Than Motor Ve	3.4	4.4	3.9
7	Diabetes mellitus	3.6	3.6	3.6
8	Fever of unknown origin	2.9	4.0	3.5
9	Genito-urinary diseases	3.7	2.3	3.0
10	Respiratory infections	2.7	2.8	2.7
	All Other Remaining Causes	8.9	7.7	8.3
	Total	100.0	100.0	100.0

Table 4.1-Proportion of Deaths from Specific medical causes in India : 2010-2013

Cause of Death	Deaths (%)		
	Male	Female	Person
All Ages			
Cardiovascular diseases	25.1	20.8	23.3
Malignant and other Neoplasms	5.8	6.6	6.1
Diabetes mellitus	2.2	2.4	2.3
Tuberculosis	4.5	2.8	3.7
Malaria	1.7	2.3	2.0
Maternal conditions	0.0	0.8	0.4
HIV/AIDS	0.3	0.2	0.2
Ages 30-69			
Cardiovascular diseases	33.4	29.2	31.8
Malignant and other Neoplasms	8.7	12.7	10.2
Diabetes mellitus	2.6	3.5	2.9
Tuberculosis	6.9	4.9	6.1
Malaria	1.6	2.5	2.0
Maternal conditions	0.0	0.6	0.2
HIV/AIDS	0.5	0.3	0.4

Table 4.2- Proportion of Deaths from Specific medical causes in EAG States & Assam and Other States : 2010-2013

Cause of Death	Deaths (%)		
	Male	Female	Person
EAG States & Assam			
All Ages			
Cardiovascular diseases	17.2	13.6	15.6
Malignant and other Neoplasms	4.3	4.7	4.5
Diabetes mellitus	1.7	1.4	1.5
Tuberculosis	5.4	3.2	4.4
Malaria	2.7	3.4	3.0
Maternal conditions	0.0	1.3	0.6
HIV/AIDS	0.1	0.1	0.1
Ages 30-69			
Cardiovascular diseases	25.9	22.2	24.4
Malignant and other Neoplasms	7.4	9.8	8.3
Diabetes mellitus	2.4	2.5	2.4
Tuberculosis	9.4	6.0	8.0
Malaria	3.0	4.2	3.5
Maternal conditions	0.0	1.1	0.4
HIV/AIDS	0.2	0.1	0.2
Other States			
All Ages			
Cardiovascular diseases	29.4	24.9	27.5
Malignant and other Neoplasms	6.6	7.7	7.0
Diabetes mellitus	2.4	3.1	2.7
Tuberculosis	4.0	2.6	3.4
Malaria	1.2	1.7	1.4
Maternal conditions	0.0	0.6	0.2
HIV/AIDS	0.4	0.2	0.3
Ages 30-69			
Cardiovascular diseases	36.9	32.8	35.4
Malignant and other Neoplasms	9.3	14.2	11.1
Diabetes mellitus	2.6	4.1	3.2
Tuberculosis	5.7	4.3	5.2
Malaria	1.0	1.7	1.2
Maternal conditions	0.0	0.3	0.1
HIV/AIDS	0.6	0.4	0.5

Table 4.3-Proportion of Deaths from Specific medical causes in Rural & Urban Areas : 2010-2013

Cause of Death	Deaths (%)		
	Male	Female	Person
Rural Areas			
All Ages			
Cardiovascular diseases	23.2	19.4	21.5
Malignant and other Neoplasms	5.5	6.3	5.9
Diabetes mellitus	2.0	2.2	2.1
Tuberculosis	4.7	2.9	3.9
Malaria	1.9	2.5	2.1
Maternal conditions	0.0	0.8	0.4
HIV/AIDS	0.3	0.2	0.3
Ages 30-69			
Cardiovascular diseases	31.6	27.7	30.1
Malignant and other Neoplasms	8.5	12.5	10.1
Diabetes mellitus	2.5	3.2	2.7
Tuberculosis	7.4	5.2	6.6
Malaria	1.7	2.8	2.1
Maternal conditions	0.0	0.6	0.2
HIV/AIDS	0.5	0.4	0.5
Urban Areas			
All Ages			
Cardiovascular diseases	31.7	25.8	29.2
Malignant and other Neoplasms	6.6	7.6	7.0
Diabetes mellitus	2.7	3.4	3.0
Tuberculosis	3.7	2.6	3.2
Malaria	1.3	1.7	1.4
Maternal conditions	0.0	0.7	0.3
HIV/AIDS	0.2	0.1	0.2
Ages 30-69			
Cardiovascular diseases	38.9	34.1	37.2
Malignant and other Neoplasms	9.0	13.4	10.6
Diabetes mellitus	2.9	4.7	3.5
Tuberculosis	5.3	3.9	4.8
Malaria	1.2	1.6	1.3
Maternal conditions	0.0	0.5	0.2
HIV/AIDS	0.3	0.2	0.3

Table 5.1 A : Top 10 Causes of Death (All Ages): 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	28.3	23.1	26.1
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	9.3	14.7	11.6
3	Respiratory diseases	9.4	9.2	9.3
4	Malignant and other Neoplasms	6.6	7.9	7.2
5	Perinatal conditions	4.7	4.9	4.8
6	Digestive diseases	5.5	3.2	4.5
7	Unintentional injuries: Motor Vehicle Accidents	6.1	1.4	4.1
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.1	3.7	3.9
9	Respiratory infections	3.2	4.5	3.8
10	Diarrhoeal diseases	2.9	4.9	3.7
	All Other Remaining Causes	20.0	22.6	21.1
	Total	100.0	100.0	100.0

Table 5.1B : Top 10 Causes of Death (All Ages): 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	20.4	18.3	19.5
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	8.5	12.4	10.1
3	Digestive diseases	10.8	5.4	8.6
4	Malignant and other Neoplasms	8.1	8.1	8.1
5	Respiratory diseases	5.5	5.9	5.7
6	Respiratory infections	4.9	6.3	5.5
7	Diarrhoeal diseases	4.4	6.5	5.3
8	Perinatal conditions	5.1	5.3	5.2
9	Tuberculosis	4.2	3.8	4.1
10	Malaria	3.7	4.0	3.8
	All Other Remaining Causes	24.6	24.0	24.3
	Total	100.0	100.0	100.0

Table 5.1C : Top 10 Causes of Death (All Ages): 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	25.1	22.4	23.9
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	10.1	13.2	11.5
3	Diarrhoeal diseases	7.1	9.3	8.1
4	Perinatal conditions	6.9	7.1	7.0
5	Respiratory diseases	5.4	6.4	5.8
6	Unintentional injuries: Other Than Motor Vehicle Accidents	5.4	5.1	5.3
7	Digestive diseases	5.6	4.8	5.2
8	Malignant and other Neoplasms	4.7	5.1	4.9
9	Respiratory infections	4.2	4.2	4.2
10	Tuberculosis	4.3	2.6	3.5
	All Other Remaining Causes	21.1	19.9	20.5
	Total	100.0	100.0	100.0

Table 5.1D : Top 10 Causes of Death (All Ages): 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	15.5	11.6	13.8
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	11.8	16.4	13.8
3	Diarrhoeal diseases	11.4	9.1	10.4
4	Perinatal conditions	8.8	9.2	9.0
5	Respiratory diseases	5.7	6.8	6.2
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	6.4	5.6
7	Digestive diseases	5.1	5.0	5.0
8	Malignant and other Neoplasms	4.6	4.9	4.7
9	Respiratory infections	5.6	3.4	4.6
10	Tuberculosis	3.8	5.6	4.6
	All Other Remaining Causes	22.9	21.7	22.4
	Total	100.0	100.0	100.0

Table 5.1E : Top 10 Causes of Death (All Ages): 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	26.2	21.5	24.2
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	9.3	16.8	12.5
3	Respiratory diseases	8.0	8.5	8.2
4	Malignant and other Neoplasms	5.8	7.1	6.3
5	Digestive diseases	7.2	2.8	5.3
6	Tuberculosis	5.7	3.8	4.9
7	Perinatal conditions	4.6	4.8	4.7
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.8	4.4	4.6
9	Respiratory infections	3.4	4.1	3.7
10	Diarrhoeal diseases	3.0	4.2	3.5
	All Other Remaining Causes	22.1	22.0	22.1
	Total	100.0	100.0	100.0

Table 5.1F : Top 10 Causes of Death (All Ages): 2010-2013

Rank	Cause of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	31.1	25.3	28.6
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	9.9	16.9	12.9
3	Malignant and other Neoplasms	6.3	7.8	6.9
4	Respiratory diseases	6.8	6.5	6.7
5	Unintentional injuries: Other Than Motor Vehicle Accidents	4.8	4.8	4.8
6	Intentional injuries: Suicide	4.8	4.2	4.5
7	Digestive diseases	5.3	2.3	4.0
8	Diarrhoeal diseases	2.9	5.3	3.9
9	Genito-urinary diseases	3.8	3.0	3.5
10	Diabetes mellitus	3.0	3.8	3.3
	All Other Remaining Causes	21.5	20.2	20.9
	Total	100.0	100.0	100.0

Table 5.2A: Distribution of Deaths by Age and Gender , 2010-2013;

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1197	8.7	971	10.1	2168	9.3
1-4	198	1.4	221	2.3	419	1.8
0-4	1395	10.2	1192	12.4	2587	11.1
5-14	181	1.3	158	1.6	339	1.5
15-29	1006	7.3	697	7.2	1703	7.3
30-34	441	3.2	193	2.0	634	2.7
35-44	1102	8.0	452	4.7	1554	6.7
45-54	1656	12.1	697	7.2	2353	10.1
55-69	3223	23.5	2151	22.3	5374	23.0
70+	4709	34.3	4089	42.5	8798	37.7
Total	13713	100.0	9629	100.0	23342	100.0

Table 5.2B: Distribution of Deaths by Age and Gender , 2010-2013;

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	826	10.4	629	11.2	1455	10.7
1-4	147	1.9	152	2.7	299	2.2
0-4	973	12.3	781	13.9	1754	13.0
5-14	176	2.2	147	2.6	323	2.4
15-29	601	7.6	461	8.2	1062	7.8
30-34	325	4.1	160	2.8	485	3.6
35-44	775	9.8	357	6.4	1132	8.4
45-54	1033	13.0	511	9.1	1544	11.4
55-69	1799	22.7	1211	21.6	3010	22.2
70+	2243	28.3	1990	35.4	4233	31.3
Total	7925	100.0	5618	100.0	13543	100.0

Table 5.2C: Distribution of Deaths by Age and Gender, 2010-2013;

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	2561	12.4	2151	12.4	4712	12.4
1-4	460	2.2	470	2.7	930	2.4
0-4	3021	14.6	2621	15.1	5642	14.8
5-14	488	2.4	407	2.3	895	2.4
15-29	1196	5.8	1139	6.5	2335	6.1
30-34	520	2.5	351	2.0	871	2.3
35-44	1392	6.7	840	4.8	2232	5.9
45-54	2077	10.0	1212	7.0	3289	8.6
55-69	5283	25.5	4304	24.7	9587	25.2
70+	6718	32.5	6523	37.5	13241	34.8
Total	20695	100.0	17397	100.0	38092	100.0

Table 5.2D: Distribution of Deaths by Age and Gender, 2010-2013;

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	3171	16.2	2732	18.3	5903	17.1
1-4	682	3.5	734	4.9	1416	4.1
0-4	3853	19.6	3466	23.3	7319	21.2
5-14	535	2.7	503	3.4	1038	3.0
15-29	1488	7.6	1269	8.5	2757	8.0
30-34	549	2.8	331	2.2	880	2.6
35-44	1423	7.2	718	4.8	2141	6.2
45-54	1898	9.7	855	5.7	2753	8.0
55-69	4391	22.4	2960	19.9	7351	21.3
70+	5495	28.0	4801	32.2	10296	29.8
Total	19632	100.0	14903	100.0	34535	100.0

Table 5.2E: Distribution of Deaths by Age and Gender , 2010-2013;

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1105	8.4	842	8.4	1947	8.4
1-4	192	1.5	160	1.6	352	1.5
0-4	1297	9.8	1002	10.0	2299	9.9
5-14	182	1.4	150	1.5	332	1.4
15-29	834	6.3	585	5.9	1419	6.1
30-34	415	3.1	174	1.7	589	2.5
35-44	1147	8.7	432	4.3	1579	6.8
45-54	1585	12.0	688	6.9	2273	9.8
55-69	3400	25.8	2431	24.4	5831	25.2
70+	4330	32.8	4515	45.3	8845	38.2
Total	13190	100.0	9977	100.0	23167	100.0

Table 5.2F: Distribution of Deaths by Age and Gender , 2010-2013;

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1493	5.2	1207	5.6	2700	5.4
1-4	241	0.8	224	1.0	465	0.9
0-4	1734	6.1	1431	6.6	3165	6.3
5-14	250	0.9	205	0.9	455	0.9
15-29	1568	5.5	1157	5.3	2725	5.4
30-34	824	2.9	400	1.8	1224	2.4
35-44	2336	8.2	984	4.5	3320	6.6
45-54	3656	12.8	1526	7.1	5182	10.3
55-69	8330	29.2	5872	27.1	14202	28.3
70+	9814	34.4	10061	46.5	19875	39.6
Total	28512	100.0	21636	100.0	50148	100.0

ANNEXURE - 1

Neonatal Classification (Deaths in Age 0-28 Days) (Classification List 2)

Child age <29 days Neonatal mortality Classification (Deaths in Age < 29 days)

<u>Disease</u>	<u>ICD 10 range</u>
Communicable, perinatal and nutritional conditions	
Neonatal_Infections:	
Neonatal Pneumonia	A37, H65-H68, H70, H71, J00-J22, J32, J36, J85, J86, P23, U04
Sepsis	A20-A28, A32, A38, A40-A44, A46, A48, A49, A68-A70, A74, A75, A77-A79, B95, B96, H10, H60, I30, I32-I33, I39-I41, K65, K67, K81, L00-L04, L08, M00-M01, M60, M86, N10, N30, N34, N41, N49, N61, P35-P39
Meningitis/encephalitis	A39, A81-A89, G00-G09
Other communicable diseases	
Diarrhoeal diseases	A00-A09
Tetanus	A33-A35
Poliomyelitis	A80, B91
Measles	B01, B05
Malaria	B50-B54
Other infectious and parasitic diseases	A15-A19, A30-A31, A36, A50-A67, A71, A90-A99, B00, B02-B04, B06-B09, B15-B27, B30, B33-B49, B55--B60, B64-B83, B85-B90, B92, B94, B97, B99, J65, K04, K05, K61, N70-N74, R75, U00, Y95
Fever of unknown origin	R50
Perinatal conditions	
Prematurity & low birthweight	P01, P05, P07, P22, P25-P28, P52, P61, P77, R04
Birth asphyxia & birth trauma	P00, P02, P03, P10-P15, P20, P21, P24, P29, P50, P90, P91
Other conditions	
Congenital anomalies	G10-G99, Q00-Q99
Nutritional diseases	D50-D53, E00-E02, E40-E46, E50-E56, E59-E61, E63, E64, X53-X54
Non Communicable diseases	
Other noncommunicable diseases	
Other noncommunicable diseases	C00-C97, D01-D48, D55-D89, E03-E35, E65-E90, F00-F99, H00-H06, H11-H59, H61-H62, H69, H72-H95, I00-I28, I31, I34-I38, I42-I99, J30, J31, J33-J35, J37-J47, J60, J64, J66-J70, J80-J82, J84, J90-J99, K00-K03, K06-K60, K62-K63, K70-K80, K82-K93, L05, L10-L99, M02-M54, M61-M85, M87-M99, N00-N08, N11-N29, N31-N33, N35-N40, N42-N48, N50-N51, N60, N62-N64, N75-N99, P04, P08, P51, P53-P60, P70-P72, P74-P76, P78, P80-P83, P92-P94, R00, R01, R03, R05, R06, R11-R23, R26, R27, R29-R36, R39-R49, R55, R56, R59, R63, R70-R74, R76-R77, R80-R82, R84-R87, R90, R91
Injuries	
Injuries	
Injuries	S00-S99, T00-T98, V01-V99, W00-W99, X00-X52, X57-X99, Y00-Y91, Y97-Y98
Ill-defined conditions	
Ill defined or cause unknown	
Ill defined or cause unknown	P96, R02, R07, R09, R10, R25, R51-R54, R57-R58, R60-R62, R64, R68, R69, R78, R79, R83, R89, R92-R99

ANNEXURE - 2

Child age 1-59 month mortality (Classification list 3)

Child age 1-59 month Classification (Deaths in Age 1-59 month)

<u>Disease</u>	<u>ICD 10 range</u>
Communicable, perinatal and nutritional conditions	
Early childhood infections	
Pneumonia	A37, H65-H68, H70, H71, J00-J22, J32, J36, J85, J86, P23, U04
Acute bacterial sepsis and severe infections	A20-A28, A32, A38, A40-A44, A46, A48, A49, A68-A70, A74, A75, A77-A79, B95, B96, H10, H60, I30, I32, I33, I39-I41, K65, K67, K81, L00-L04, L08, M00-M01, M60, M86, N10, N30, N34, N41, N49, N61, P36, P38
Meningitis/encephalitis	A39, A81-A89, G00-G09
Other communicable diseases	
Diarrhoeal diseases	A00-A09
Tuberculosis	A15-A19, B90, J65
Tetanus	A33-A35
Poliomyelitis	A80, B91
Measles	B01, B05
HIV/AIDS	B20-B24, R75
Malaria	B50-B54
Other infectious and parasitic diseases	A30, A31, A36, A50-A67, A71, A90-A99, B00, B02-B04, B06-B09, B15-B19, B25-B27, B30, B33-B49, B55--B60, B64-B83, B85-B89, B92, B94, B97, B99, K02, K04, K05, K61, N70-N74, P35, P37, P39, U00, Y95
Fever of unknown origin	R50
Perinatal conditions	
Prematurity & low birth weight	P01, P05, P07, P22, P25-P28, P52, P61, P77
Birth asphyxia & birth trauma	P00, P02, P03, P10-P15, P20, P21, P24, P29, P50, P90, P91
Other conditions	
Nutritional diseases	D50-D53, E00-E02, E40-E46, E50-E56, E59-E61, E63, E64, X53-X54
Congenital anomalies	Q00-Q07, Q10-18, Q20-Q28, Q30-Q45, Q50-56, Q60-Q87, Q89-Q93, Q95, Q96-Q99
Non Communicable diseases	
Other noncommunicable diseases	
Other noncommunicable diseases	C00-C97, D01-D48, D55-D89, E03-E35, E65-E90, F00-F99, G10-G99, H00-H06, H11-H59, H61-H62, H69, H72-H95, I00-I28, I31, I34-I38, I42-I99, J30, J31, J33-J35, J37-J47, J60, J64, J66-J70, J80-J82, J84, J90-J99, K00-K01, K03, K06-K60, K62-K63, K70-K80, K82-K93, L05, L10-L99, M02-M54, M61-M85, M87-M99, N00-N08, N11-N29, N31-N33, N35-N40, N42-N48, N50-N51, N60, N62-N64, N75-N99, P04, P08, P51, P53-P60, P70-P72, P74-P76, P78, P80-P83, P92-P94, R00, R01, R03-R05, R06, R11-R23, R26, R27, R29-R49, R55-R56, R59, R63, R70-R74, R76-R77, R80-R82, R84-R87, R90-R91
Injuries	
Injuries	
Injuries	S00-S99, T00-T98, V01-V99, W00-W99, X00-X52, X57-X99, Y00-Y91, Y97-Y98.
Ill-defined conditions	
Ill defined or cause unknown	
Ill defined or cause unknown	P96, R02, R07, R09, R25, R51-R54, R57-R58, R60-R62, R64, R68, R69, R78, R79, R83, R89, R92-R99

ANNEXURE-3

Classification List- 1 (Deaths in age 5 year and above)

Disease	ICD 10 range
Communicable, maternal, perinatal and nutritional conditions	
Tuberculosis	A15-A19,B90,J65
HIV/AIDS	B20-B24,C46,D84,R75
Diarrhoeal diseases	A00-A09
Malaria	B50-B54
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92
Respiratory infections	H65-H68,H70-H71,I00-J22,J32,J36,J85-J86,P23,U04
Acute bacterial sepsis & severe Infections	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89
Other infectious and parasitic diseases	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95
Maternal conditions	O00-O99,A34,F53
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54
Fever of unknown origin	R50
Non-communicable diseases	
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59
Diabetes mellitus	E10-E14
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87
Congenital anomalies	Q00-Q99
Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81
Injuries	
Unintentional injuries: Motor Vehicle Accidents	V01-V89
Unintentional injuries: Other Than Motor Vehicle Accidents	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89
Intentional injuries: Suicide	X60-X84
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98
Symptoms, signs and Ill-defined conditions	
Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99

Note: ** R96 - Sudden deaths are in 'perinatal conditions' (when age<1 year),in 'Cardiovascular diseases' (when age>30 year) and else in 'ill-defined conditions'